



UNIFORM FOOTWEAR

2017

Men's Safety

Stock number	Page	804-6191	7	804-6522	9
804-6034	11	804-6193	7	804-6905	17
804-6111	18	804-6195	7		
804-6190	7	804-6520	9		

Men's Non-Safety

Stock number	Page	834-6218	6	834-6874	18
804-6449	12	834-6219	6	834-6888	5
831-6027	13	834-6333	20	834-6905	17
831-6031	12	834-6342	18	834-6906	17
831-6032	12	834-6444	20	834-6907	17
831-6823	13	834-6449	5	834-6908	17
831-6833	13	834-6501	20	834-6931	19
834-6027	13	834-6520	9	834-6932	19
834-6034	11	834-6522	9	834-6933	19
834-6041	12	834-6523	8	834-6991	5
834-6042	10	834-6526	8	834-7991	4
834-6043	10	834-6528	8	834-7992	5
834-6044	10	834-6574	20		
834-6211	18	834-6731	18		

Women's Safety

Stock number	Page	804-6191	7	804-6520	9
804-6034	11	804-6193	7	804-6522	9
804-6190	7	804-6195	7		

Women's Non-Safety

Stock number	Page	534-6932	19	834-6219	6
531-6303	13	534-6933	19	834-6449	5
534-6047	13	804-6449	12	834-6520	9
534-6333	20	831-6031	12	834-6522	9
534-6342	18	831-6032	12	834-6523	8
534-6501	20	831-6833	13	834-6526	8
534-6555	20	834-6034	11	834-6528	8
534-6574	18	834-6041	12	834-6888	5
534-6905	17	834-6042	10	834-6991	5
534-6906	17	834-6043	10	834-7991	4
534-6908	17	834-6044	10	834-7992	5
534-6931	19	834-6218	6		

Shoe-In Overshoes

STOCK NUMBER PAGE

161-0200	15
161-0300	15

ORDER NOW



WEBSITE ORDERS: DEALERS ONLY

www.weinbrennerusa.com/dealer



EMAIL ORDERS

csd@weinbrennerusa.com



PHONE ORDERS

800-826-0002



Protect and Serve in Comfort

Thorogood brand occupational footwear has been keeping hard-working Americans safe and comfortable since 1892. A division of the Weinbrenner Shoe Company, Thorogood has relentlessly focused on craftsmanship, innovation, and comfort, while recognizing the importance of footwear to your livelihood and getting the job done.





GENflex2®
TACTICAL



NO COMPROMISE...



IN COMFORT:

- Lightweight & flexible
- Multi-layer GEN-flex2® • Shock-absorbing



IN PROTECTION:

- Blood-borne pathogen compliant linings [ASTM F1671]
- Waterproof



IN GRIP:

- Multi-directional traction lug outsole
- Oil- and slip-resisting

IN STYLE:
Sleek,
functional
design

834-7991

▲ **DUAL-GENDER SIZING** (SEE CHART)

**8" Trooper Side Zip
Waterproof**



SOLE 1



- » Waterproof, full-grain leather
- » Goodyear storm welt construction
- » BBP X-Stream Waterproof® membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex2® dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro® closure

SR WP BB EH



▲ **MEN'S** | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15

6" Trooper Side Zip



SOLE 1



- » Waterproof, full-grain leather
- » Stitch down construction
- » BBP X-Stream Waterproof® membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex2® dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro® closure

SR WP BB EH

3B X-STREAM WATERPROOF*



 MEN'S | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15

**8" Trooper Side Zip
Waterproof + Insulated**



SOLE 1



- » Waterproof, full-grain leather
- » Goodyear storm welt construction
- » BBP X-Stream Waterproof® membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex²® dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro® closure
- » 200g 3M™ Thinsulate™ Insulation

SR WP BB EH

3M
Thinsulate™

3BP **X-STREAM**
WATERPROOF

 MEN'S | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15

**8" Tactical Side Zip
Waterproof**



SOLE 1



- » Waterproof, full-grain leather
- » Stitchdown construction
- » BBP X-Stream Waterproof® membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex2® dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro® closure

SR WP BB EH

3BP **X-Stream**
WATERPROOF®

	MEN'S	M 4-12. 13. 14. 15	W 7-12. 13. 14. 15
---	--------------	--------------------	--------------------

8" GEN-flex2®
Jump Boot Side Zip



SOLE 1



- » Full-grain leather and high-shine, polishable leather toe cap and heel counter
- » Goodyear storm welt construction
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex[®] dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro[®] closure

SR EH

 MEN'S | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15



DUAL
GENDER
SIZING

▲ For Women's size, order Men's size below it on chart. (example: Women's 6, order Men's 4)

[illegible]

[illegible]

[illegible]

NEW

 DUAL-GENDER SIZING [SEE CHART]

Oxford



SOLE 4



889-8000



- » Full-grain, super soft leather / action leather / nylon mesh
- » Cement construction
- » Removable polyurethane footbed
- » Guardian Ultra Light outsole
- » 100% non-metallic

NM SR EH

	MEN'S	M 4-12, 13, 14, 15	W 6-12, 13, 14, 15
---	--------------	--------------------	--------------------

NEW

 DUAL-GENDER SIZING [SEE CHART]

6" Side Zip



SOLE 4



889-8000



- » Full-grain, super soft leather / action leather / nylon mesh
- » Cement construction
- » Removable polyurethane footbed
- » Guardian Ultra Light outsole
- » 100% non-metallic
- » Heavy-duty YKK zipper with Velcro® closure

NM SR EH

ULTRA LIGHT

 MEN'S | M 4-12, 13, 14, 15 | W 6-12, 13, 14, 15

NEW

 DUAL-GENDER SIZING [SEE CHART]

8" Side Zip



SOLE 4



889-8000



- » Full-grain, super soft leather / action leather / nylon mesh
- » Cement construction
- » Removable polyurethane footbed
- » Guardian Ultra Light outsole
- » 100% non-metallic
- » Heavy-duty YKK zipper with Velcro® closure

NM SR EH

ULTRA LIGHT

 MEN'S | M 4-12, 13, 14, 15 | W 6-12, 13, 14, 15



**DUAL
GENDER
SIZING**

▲ For Women's size, order Men's size below it on chart. (example: Women's 6, order Men's 4)

FOR WOMEN'S USE ONLY. Each size corresponds to one chest (example: Women's 10 = chest 34").																						
WOMEN'S	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12							
MEN'S	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	13	14	15

11

834-6027 MEN'S
534-6047 WOMEN'S
Classic Leather Oxford



SOLE 7



889-3004



- » Smooth, high-shine leather
- » Goodyear welt construction
- » Removable Poly-Pillow Footpacer™ footbed
- » Slip-resisting Vibram® EVA outsole
- » Made in USA*
- » Berry Compliant



MEN'S | N 7½-12,13,14,15 | M 6-12,13,14,15,16 | W 6-12,13,14,15 | **XW 7-12,13,14,15** | **WOMEN'S** | M 5-10,11 | W 5½-10

831-6027 MEN'S
531-6303 WOMEN'S
Poromeric Oxford



SOLE 7



889-3004



- » Easy-care, high-gloss poromeric
- » Goodyear welt construction
- » Removable Poly-Pillow Footpacer™ footbed
- » Slip-resisting Vibram® EVA outsole
- » Made in USA*



MEN'S | N 8½-12,13,14,15 | M 6-12,13,14,15,16 | W 6-12,13,14,15 | **XW 7-12,13,14,15** | **WOMEN'S** | M 5-11 | W 6-10

831-6833
▲ **DUAL-GENDER SIZING** [SEE CHART]
Cross-Trainer Plus



SOLE 8



889-6018



- » High-gloss poromeric / Cordura®
- » Cement construction
- » Removable pillow-top Motion Sensor footbed with memory foam
- » Street Athletics single-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



▲ **MEN'S** | M 6-12, 13 | W 8-12, 13

831-6823
8" Commando Plus



SOLE 9



889-3004



- » High-gloss poromeric / Cordura®
- » Cement construction with side wall stitch
- » Removable Poly-Pillow Footpacer™ footbed
- » Vibram® Enforcer slip/abrasion-resisting rubber outsole
- » Made in USA*
- » Berry Compliant



MEN'S | M 7-12, 13 | W 8-12, 13



*Our **Made in USA** footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components. Our Built in USA footwear uses all American hides and is assembled at our two union factories in Wisconsin.

shoe in
by Thorogood®

OVERSHOES

- » Waterproof nylon
- » Cement construction
- » Rubber lug outsole
- » Hook and loop front strap
- » US Postal Approved



COMFORT

Lightweight construction
prevents fatigue

Nylon drawstring
keeps the elements out

Adjustable strap for added
security and comfort

PROTECTION

Waterproof

Insulated
[Avalanche, 161-0300]

Rubber toe guard

Protects shoes from harsh
weather environments

GRIP

Rubber lug outsole

Abrasion- and slip-resistant

Multi-directional lug

- 1] Nylon drawstring
- 2] Adjustable strap
- 3] Waterproof
- 4] Rubber toe guard
- 5] Multi-directional lug

SHOE-IN OVERSHOES



161-0200
11" Monsoon
Overshoe

SOLE 15



- » Cement construction
- » Rubber lug outsole

- » Hook and loop front strap
- » US Postal approved

WP EH

WATERPROOF

MEN'S	XS 3-4½	S 5-6½	M 7-8½	L 9-10½	XL 11-12½	XXL 13-14½
WOMEN'S	XS 4½-6	S 6½-8	M 8½-10	L 10½-12	XL 12½-14	XXL 14½-16



161-0300
11" Avalanche
Overshoe / Insulated

SOLE 15



- » Cement construction
- » Rubber lug outsole

- » Hook and loop front strap
- » US Postal approved

WP EH

WATERPROOF INSULATED

MEN'S	XS 3-4½	S 5-6½	M 7-8½	L 9-10½	XL 11-12½	XXL 13-14½
WOMEN'S	XS 4½-6	S 6½-8	M 8½-10	L 10½-12	XL 12½-14	XXL 14½-16



soft streets™



- 1] **Plush Super Cushion Footbed**
Thick polyurethane Insert created to cradle your foot.
- 2] **Flexible Construction**
3D sidewall design and a dual density PU outsole combine to transition your foot.

- 3] **Ultra Light**
Soft, breathable leather and wicking polyester lining won't weigh you down.
- 4] **Designed Durability**
Unique staggered sole pattern and our superior shank placement design will support your foot.

SOFT STREETS

834-6906 MEN'S
534-6906 WOMEN'S

Plain Toe Chukka



SOLE 10



889-6008



- » Full-grain leather
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12,13,14 W 7-12,13,14 XW 7-12,13 WOMEN'S M 6-11 W 6-11

834-6905 MEN'S
534-6905 WOMEN'S

Plain Toe Oxford



SOLE 10



889-6008



- » Full-grain leather
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12,13,14 W 7-12,13,14 XW 7-12,13 WOMEN'S M 6-11 W 6-11

834-6908 MEN'S
534-6908 WOMEN'S

Double Track Oxford



SOLE 10



889-6008



- » Full-grain leather
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12,13,14 W 7-12,13,14 XW 8-12,13 WOMEN'S M 6-11 W 6-11

804-6908 MEN'S
Steel Safety Toe

- » Made in USA* with domestic and globally-sourced components



MEN'S M 7-12, 13, 14 W 8-12, 13, 14 XW 8-12, 13

804-6905 MEN'S
Steel Safety Toe

- » Made in USA* with domestic and globally-sourced components



MEN'S M 7-12, 13, 14 W 7-12, 13, 14 XW 8-12, 13

834-6907

Moc Toe Oxford



SOLE 10



889-6008



- » Full-grain leather
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12,13,14 W 7-12,13,14 XW 8-12,13



*Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components. Our Built in USA footwear uses all American hides and is assembled at our two union factories in Wisconsin.

834-6342 MEN'S
534-6342 WOMEN'S
6" Waterproof, Insulated Sport Boot



SOLE 10



889-6008



- » Waterproof leather
- » Direct injection construction
- » 400 grams of 3M™ Thinsulate™ Ultra Insulation
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Seam-sealed waterproof construction
- » Made in USA*
- » Berry Compliant



WATERPROOF INSULATED

MEN'S M 7-12,13 W 7-12,13 WOMEN'S M 6-10 W 6-10

834-6731
8" Waterproof, Insulated Weatherbuster



SOLE 10



889-6008



- » Waterproof leather
- » Direct injection construction
- » 400 grams of 3M™ Thinsulate™ Ultra Insulation
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Seam-sealed waterproof construction
- » Made in USA*
- » Berry Compliant



WATERPROOF INSULATED

MEN'S M 7-12,13,14 W 7-12,13,14

834-6874 MEN'S
534-6574 WOMEN'S
Ultimate® Cross-Trainer



SOLE 10



889-6008



- » Full-grain glove soft leather
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12,13,14 W 7-12,13,14 XW 8-12,13 WOMEN'S M 5½-10 W 6-10

834-6211
10" Wellington Non-Safety



SOLE 10



889-6008



- » Full-grain leather / 1000 denier Cordura® shaft
- » Direct injection construction
- » Removable, single-density Comfort 125 polyurethane footbed with contour heel cup
- » Soft Streets™ dual-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S M 7-12, 13, 14 W 8-12, 13, 14

804-6111
Steel Safety Toe

» Made in USA* with domestic and globally-sourced components



MEN'S M 7-12, 13, 14 W 7-12, 13, 14



Street Athletics

MADE IN USA*

Street Athletics features our exclusive, removable triple density pillowtop Motion Sensor footbed with memory foam

- Absorbs the shock of every step you take
- Cradles and massages the foot
- Top nylon liner wicks away moisture and dries quickly
- Polishes up quickly to give the best impression possible
- Athletic-design polyurethane sole for comfort on pavement, concrete, or gravel



834-6931 MEN'S
534-6931 WOMEN'S
Oxford Freedom



SOLE 8



889-6018



- » Full-grain leather
- » Cement construction
- » Removable Motion Sensor footbed with memory foam

- » Street Athletics single-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



ULTRA LIGHT

MEN'S | M 7-12,13,14,15 | W 7-12,13,14,15 | WOMEN'S | M 6-10,11 | W 6-10,11

834-6932 MEN'S
534-6932 WOMEN'S
Oxford Liberty



SOLE 8



889-6018



- » Full-grain leather
- » Cement construction
- » Removable Motion Sensor footbed with memory foam

- » Street Athletics single-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



ULTRA LIGHT

MEN'S | M 7-12,13,14,15 | W 7-12,13,14,15 | XW 8-12,13,14 | WOMEN'S | M 6-10,11 | W 6-10,11

834-6933 MEN'S
534-6933 WOMEN'S
Mid Cut Liberty



SOLE 8



889-6018



- » Full-grain leather
- » Cement construction
- » Removable Motion Sensor footbed with memory foam

- » Street Athletics single-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



ULTRA LIGHT

MEN'S | M 7-12,13,14,15 | W 7-12,13,14,15 | XW 8-12,13,14 | WOMEN'S | M 6-10,11 | W 6-10,11



*Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components. Our Built in USA footwear uses all American hides and is assembled at our two union factories in Wisconsin.

834-6574
Code 3 Enforcer Oxford



SOLE 9



889-3004



- » Full-grain, high-shine leather
- » Cement construction with side wall stitch
- » Removable Poly-Pillow Footpacer™ footbed
- » Engineered composite shank

- » Vibram® Enforcer slip- and abrasion-resisting rubber outsole
- » Made in USA*
- » Berry Compliant



MEN'S | M 7-12,13 | W 7-12,13 | **XW 8-12,13**

834-6501 MEN'S
534-6501 WOMEN'S
Athletic Postal Oxford



SOLE 11



889-3004



- » Full-grain leather
- » Cement construction
- » Removable Poly-Pillow Footpacer™ footbed

- » Single-density polyurethane outsole
- » Made in USA*
- » Berry Compliant



MEN'S | M 7-12,13 | W 7-12,13 | **WOMEN'S** | M 6-10 | W 6-10

834-6333 MEN'S
534-6333 WOMEN'S
Code 3 Oxford



SOLE 12



889-3004



- » Full-grain, glove-soft leather
- » Cement construction with side wall stitch
- » Removable Poly-Pillow Footpacer™ footbed

- » Vibram® slip- and abrasion-resisting rubber outsole
- » Made in USA*
- » Berry Compliant



MEN'S | M 7-12,13,14 | W 7-12,13,14 | **XW 7-12** | **WOMEN'S** | M 5½-10 | W 6-10

834-6444 MEN'S
534-6555 WOMEN'S
Code 3 Mid Cut



SOLE 12



889-3004



- » Full-grain, glove-soft leather
- » Cement construction with side wall stitch
- » Removable Poly-Pillow Footpacer™ footbed

- » Vibram® slip- and abrasion-resisting rubber outsole
- » Made in USA*
- » Berry Compliant



MEN'S | M 7-12,13,14 | W 7-12,13,14 | **XW 7-12** | **WOMEN'S** | M 5½-10 | W 6-10



*Our **Made in USA** footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components. Our Built in USA footwear uses all American hides and is assembled at our two union factories in Wisconsin.

THOROGOOD SOCKWEAR

THOROGOOD 3-PACK SOCKWEAR



Thorogood Professional Uniform socks are made with an anatomical understanding of the relationships of your foot to your sock, and your sock to your footwear. We use specific combinations of yarns and knitting techniques to make our socks durable and comfortable while providing superior foot protection.

Sizing for All

THOROGOOD SOCKWEAR

MEN'S SOCK / SHOE SIZES

• **S** 4½-6½ • **M** 6½-9½ • **L** 9½-12½ • **XL** 13 and up

WOMEN'S SOCK / SHOE SIZES

• **S** 5-7½ • **M** 7½-10 • **L** 10-13

Thorogood 3-Pack Sockwear with CoolMax®

CoolMax® is a high performance, four-channel fiber engineered to move moisture and speed evaporation. It is superior fabric for wicking action, drying time, moisture absorption and transport.



888-1006
3-Pack Crew
All white,
with postal stripes



888-1008
3-Pack Crew
All black



888-1009
3-Pack Crew
All navy,
with postal stripes



888-9009
3-Pack Mini Crew
All navy,
with postal stripes



888-1007
3-Pack Mini Crew
All white,
with postal stripes

GENUINE THOROGOOD FOOTBEDS



889-6007
**Ultimate
Shock-Absorption™
Footbed**



MEN'S SIZES

S 7-9
M 9½-11
L 11½-13
XL 14-15



889-6008
Comfort 125 Footbed
single-density
polyurethane
with contour heel cup



MEN'S SIZES

S 7-9
M 9½-11
L 11½-13, 14

WOMEN'S SIZES

S 6-7½
M 8-9½
L 10-11½



889-7024
**Compression Foam
Footbed**

MEN'S SIZES

XS 5-6½
S 7-8½
M 9-11½
L 12+



889-8000
**The Deuce
SHOCK ZONE Footbed**
dual-density
polyurethane

MEN'S SIZES

XS 4-5½
S 6-7½
M 8-9½
L 10-11½
XL 12-13½
XXL 14-15

LACE CHARMS



889-7020

Thorogood USA Flag Lace Charm
Gunmetal base with USA flag
Minimum order 500 pieces (250 pair)

YKK EYE ZIPPERS



884-6002
6-Eye Zippers

584-6002
7-Eye Zippers

884-6001
8-Eye Zippers

884-6241
8-Eye Zippers (Fire)

884-6641
9-Eye Zippers
Size 5-10½ for
804-6379








884-6642
9-Eye Zippers
Size 11-15 for
804-6379







884-6441
10-Eye Zippers **AND**
(Fire) 7" Zippers

884-6541
10-Eye Zippers **AND**
(Fire) 8" Zippers

884-6341
11-Eye Zippers (Fire)

SOLE COMPARISONS

1	2	3	4	5	6	7	8
							
THOROGOOD® GEN-FLEX2® DUAL-DENSITY RUBBER	A.S.R. SUPER SLIP-RESISTING RUBBER	Z-TRAC ASR RUBBER/EVA SOLE	GUARDIAN ULTRA LIGHT	OIL- AND SLIP-RESISTING BLOWN RUBBER	OIL-RESISTING EVA LUG	VIBRAM® EVA OR EVA WEDGE	STREET ATHLETICS SINGLE-DENSITY POLYURETHANE
A	A	A	B	A	C	B	B
A	A	A	A	A	A	B	A
C	C	B	C	C	C	C	C
A	B	B	C	C	C	C	C
A	A	A	A	A	B	B	A

9	10	11	12	14	15
					
VIBRAM® ENFORCER ABRASION- RESISTING RUBBER	SOFTSTREETS™ DUAL-DENSITY POLYURETHANE	SINGLE DENSITY POLYURETHANE	VIBRAM® ABRASION- RESISTING RUBBER	TPU MINI LUG	OVERSHOES
A	A	B	A	A	NA
A	A	A	C	A	NA
A	C	C	B	C	NA
A	C	C	B	C	NA
B	A	A	A	A	NA

KEY

ABRASION-RESISTING

OIL-RESISTING

HEAT-RESISTING

CHIP-RESISTING

SLIP-RESISTING

A = BEST

B = BETTER

C = GOOD



LIMITED WARRANTY

Weinbrenner Shoe Company, Inc. ("Thorogood Shoes") warrants solely to those consumer purchasers ("purchasers") who, for their own use or use by another consumer end user, purchase the Thorogood® branded products ("Products") directly from an authorized seller ("Authorized Seller") that the Products manufactured by Thorogood Shoes are free from defects in material and workmanship for a period of one year from the date of purchase.

This warranty covers normal use only of the Products. Thorogood Shoes will not assume responsibility for any failure of the Products incurred by misuse, abuse, neglect or exposure to a substance or an environment that degrades the Products. Normal sole wear of the Products is not considered to be a defect in material and workmanship.

Products considered to be defective must be returned to the Authorized Seller from which the Products were originally purchased or issued with the original purchase receipt or issuer's invoice record. Our policy is to honor Product warranties only on Products purchased from an Authorized Seller of Thorogood® Products and only when accompanied by the original purchase receipt or proof of purchase. If Products are purchased from an unauthorized seller this limited warranty will not be valid.

Defective Products will be repaired or replaced at the discretion of Thorogood Shoes. Any replacement will be for the same style and size of the returned defective footwear Products.

This is a limited warranty. The obligations set forth in the preceding paragraphs are Thorogood Shoes' sole obligation and the purchaser's exclusive remedy. Thorogood Shoes makes no other express warranty. Any implied warranty of merchantability or fitness for a particular purpose that may be applicable to the Products is limited in duration to the duration of this limited warranty. Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

Thorogood Shoes shall not be liable for any direct, or indirect, incidental or consequential damages even if it has been advised of possibility of such damages. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This limited warranty shall be governed by, and construed and interpreted in accordance with, the local laws of the State of Wisconsin (without application of its conflicts of laws principles), except only to the extent replaced or precluded by other law of mandatory application. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

RETURNED GOODS POLICY

Inspection Requirement- Weinbrenner is committed to quality. Upon receipt of Products from Weinbrenner, Dealer shall inspect the Products for damage and defects. Products that are damaged or otherwise defective must be removed from inventory and either returned to Weinbrenner or repaired prior to being offered for sale to end-user customers.

Defective Merchandise- No written permission is required for Dealer's return of up to 6 pair of defective merchandise. Please contact Customer Service for returns over 6 pair. Credit will be issued on footwear with defective workmanship or materials. Credit may be pro-rated based on the general condition and length of wear. If footwear has been abused, cut, punctured, scraped or used for unintended purposes, the policy is not in force. **WE DO NOT ACCEPT RETURNED FOOTWEAR DIRECTLY FROM THE CONSUMER.** When a defect is minor, eyelet, hook, D-Ring, or rivet replacement, seam stitching, sole or heel reattachment, etc., your customer may be happy with a quick and inexpensive repair. Weinbrenner will reimburse dealers up to \$15.00/pair for such repairs done at a local shoe repair shop. Send a paid receipt to WSC Customer Service for reimbursement/credit.

Non-Defective Merchandise- Prior written permission is required on any return of non-defective merchandise. Contact your sales representative.

PRODUCT CHANGE NOTICE

This Thorogood catalog is accurate as of the date of printing. However, in our never ending pursuit of better materials and construction there may be product specification changes made during the year without notice. The Thorogood price list is your official list of stock numbers available.

THOROGOOD®, THE ULTIMATE®, ULTIMATE SHOCK-ABSORPTION™, SOFT STREETS™, I-MET®, HELLFIRE™, and SHOE IN® are registered trademarks of the Weinbrenner Shoe Company, Inc.

- VIBRAM® and the Yellow Octagonal Label are registered trademark of Vibram S.p.A. of Italy. Quabaug Corporation, North Brookfield, MA, is the North American manufacturer of Vibram soling products under exclusive license.
- KEVLAR® is a registered trademark of DuPont.
- 3M™ THINSULATE™, THINSULATE™ ULTRA, and SCOTCHLITE™ are trademarks of 3M™.
- PORON® is a registered trademark of Rogers Corporation.
- DRI-LEX® is a registered trademark of Faytex Corporation.
- MAXUM® is a registered trademark of Meramec Group.
- COOLMAX® is a registered trademark of Invista.
- L-PROTECTION® is a registered trademark of Lenzi Egisto S.p.A.
- GORE-TEX®, GUARANTEED TO KEEP YOU DRY®, GORE®, and designs are trademarks of W. L. Gore & Associates, Inc.

KEY

To make your selection easier, we have included symbols that call your attention to important features built into the shoes throughout this catalog. **Tested and certified to meet the rigid standards established by the American Standard Test Method (ASTM), all of our safety footwear meets or exceeds the highest ASTM F2413-11 or ASTM F2892-11 ratings (where applicable).**



UNION MADE IN THE USA*

*Weinbrenner Shoe Company manufactures our Made in USA footwear at its two union factories in Wisconsin. Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components. Our Built in USA footwear uses all American hides and is assembled at our two union factories in Wisconsin.



BERRY COMPLIANT (100% USA MADE)

Made in the USA with USA components.



Thorogood BBP X-Stream Waterproof® and Stedair™ linings are blood-borne pathogen penetration compliant, for at least one hour when tested according to ASTM F 1671, Standard Test Method for Resistance of Materials used in Protective Clothing.



Composite safety toe caps provide the same protection as steel, but are non-metallic, corrosion resistant, transmit less cold and weigh less.



Engineered with GORE-TEX® product technology. Durable waterproof, windproof, and breathable protection for optimized comfort, guaranteed.



Class I/75 footwear retains a .500 inch (1/2 inch) for men's and .468 inch (15/32 inch) for women's or greater clearance after a nominal impact of 75 foot-pounds (101.7J), i.e., a 50 pound weight dropped, reaching 117.9 ± 2.4 inches per second velocity at impact. COMPRESSION: Class C/75 footwear retains a .500 inch (1/2 inch) after compression of 2500 lbs. (11,121 N) or greater.



Constructed or manufactured with electric shock-resisting soles and heels capable of withstanding an application of 18,000 volts (root mean square (RMS) value) at 60 Hz for 1 minute with no current flow or leakage current in excess of 1.0 milliamperes under dry conditions.



are indicated by a yellow highlight.



A breakthrough in metatarsal protection, exclusively from Thorogood® features the only internal, invisible, Metatarsal Guard that's completely integrated with the safety toe cap.



Exclusively from Thorogood® Footwear. The polymer compound used in the I-MET2® absorbs and deflects impact to the instep of the foot. Like the original I-MET®, I-MET2® is an internal, invisible, Metatarsal Guard that's completely integrated with the protective toe cap.



Featuring 3M™ Thinsulate™ insulation



3M Thinsulate Ultra™ contains a minimum of 400 grams+ of 3M™ Thinsulate Ultra Insulation throughout.



Class ASTM F2413-11 Mt/75 footwear retains a 1.0 inch clearance for men's and .937 inch clearance for women's, after a nominal impact of 75 foot pounds (101.7J), i.e., a 50 lb. weight dropped, reaching 117.9 ± 2.4 inches per second velocity at impact 3.5 inches in from the toe of the footwear (3.375 inches on women's).



These styles are 100% non-metallic utilizing composite toes and non-metallic hardware (eyelets). These features will help minimize the chance of marking / scratching work surfaces and will not activate security screening devices.



Footwear bearing the SR/USA label have been manufactured according to USPS 89D and meet sole slip-resistance (ASTM F 489), domestic source end product, water resistance (ASTM D 2099) requirements. They are Certified by the US Postal Service and Department of Navy, Navy Clothing, and Textile Research Facility.



Puncture-resisting through the sole and heel area at a force load of 1200N (270 lb). Unique textile insole material is flexible and puncture-resisting.



Footwear is tested for ASTM F2913-11 SATRA Test Method TM144 (or Mark II) industry criteria for slip-resisting footwear.



SD Footwear will provide for a resistance of between 10 to the 6th power ohms (1 megohm) and 10 to the 8th power (100 megohms) resistance when 50 volts are applied via an electrode to the hand of a person wearing the SD test sample on a conductive ground plate.



Complies with NFPA 1971 & 1992



Meets the requirements of NFPA 1971 Standard on Protective Ensemble for Structural Fire Fighting, 2013 Edition.



ULTRA LIGHT Lightweight materials and construction designed with foot comfort in mind.



Waterproof barrier keeps water out.




Waterproof, breathable membrane keeps feet dry while instantly venting moisture and body heat.



Waterproof, breathable membrane keeps feet dry and comfortable. Blood-borne pathogen penetration compliant.



Meets the requirements of NFPA 1977 Protective Clothing and Equipment for Wildland Fire Fighting, 2016 Edition.



THOROGOOD®

108 S. POLK STREET · MERRILL, WISCONSIN 54452

1-800-826-0002

THOROGOODSHOES.COM     #THOROGOODSHOES

ISO 9001 CERTIFIED SINCE 1998 · AN EMPLOYEE-OWNED SHOE COMPANY